



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

**Andromeda software release: Firmware 83**

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F

### **ALFA ROMEO**

**CAN software version 46V252AR-101**

159	2006 >	Logic	1	RC	CAN	AR15906C	A-G
Brera	2006 >	Logic	2	RC	CAN	ARBR06C	G
Giulietta	2010 >	Power	3	RC	CAN	ARGI10R1C	F
Mito	2008 >	Power	3	RC	CAN	ARMI08C	F

**PLIP software version 46V252PL-109**

147	2009 >	Power	2	RC	PLIP	AR14709P	////////
GT	2009 >	Power	2	RC	PLIP	ARGT09P	////////

### **AUDI**

**CAN software version 46V252AG-122**

A1 (8X)	2010 >	Logic	1	RC	CAN	AUA110C	A-B-C-D
A1 (8X)	2010 >	Logic	6	KL	CAN	AUA110C	A-B-C-D
A3 (8P)	2003 >	Logic	1	RC	CAN	AUA303C	A-B-D
A3 (8P)	2010 >	Logic	1	RC	CAN	AUA310C	A-B-C-D
A3 (8P)	2010 >	Logic	6	KL	CAN	AUA310C	A-B-C-D
A3 (8V)	2012 >	Logic	3	RC	CAN	AUA312R1C	A-B-C-D
A3 (8V)	2012 >	Logic	4	KL	CAN	AUA312R1C	A-B-C-D
A4 (8E)	2005 >	Logic	1	RC	CAN	AUA405C	A-B
A4 (8K)	2008 >	Logic	1	RC-KL	CAN	AUA408C	B-D
A4 (F4)	2016 >	Power	7	RC-KL	CAN	AUA416C	A-B-C
A5 (8T)	2007 >	Logic	1	RC-KL	CAN	AUA507C	A-D
A5 (8T)	2015 >	Logic	6	KL	CAN	AUA507C	A-D
A5 (8T)	2016 >	Logic	1	RC	CAN	AUA516C	A-B-C
A5 (Convertible)	2009 >	Logic	1	RC-KL	CAN	AUA507C	A-D
A5 (Sportback)	2009 >	Logic	1	RC-KL	CAN	AUA507C	A-D
A6 (4F)	2005 >	Logic	1	RC-KL	CAN	06DE2140A	////////
A6 (4G)	2012 >	Logic	5	RC-KL	CAN	AUA612C	A-B-C
A6 (4G)	2013 >	Logic	5	RC-KL	CAN	AUA613C	A-B-C-D
A7 (4G)	2010 >	Logic	5	RC-KL	CAN	AUA710C	A-B-C-D
A8 (4E)	2008 >	Logic	1	RC-KL	CAN	06DE3090A	A-B-D
A8 (4H)	2010 >	Logic	5	RC-KL	CAN	AUA810C	A-B-C-D
Q3 (8U)	2011 >	Logic	1	RC	CAN	AUQ311R1C	A-B-C-D
Q3 (8U)	2011 >	Logic	6	KL	CAN	AUQ311R1C	A-B-C-D
Q5 (8R)	2008 >	Logic	1	RC-KL	CAN	06DE3092A	A-B-D
Q5 (8R)	2013 >	Logic	1	RC-KL	CAN	AUQ513C	A-B-C-D
Q7 (4 M)	2015 >	Power	7	RC-KL	CAN	AUQ715R2C	A-B-C
Q7 (4 L)	2007 >	Logic	1	RC-KL	CAN	06DE2422A	A-D
Q7 (4 L)	2013 >	Logic	1	RC-KL	CAN	AUQ713C	A-B-C-D
R8 (FX)	2016 >	Power	10	RC-KL	CAN	AUR8P16C	A-B-C-D
R8 (FX)	2016 >	Logic	5	RC-KL	CAN	AUR8L16C	A-B-C-D
TT (8J)	2007 >	Logic	1	RC-KL	CAN	06DE2589A	A-B-D

### **BMW**

**CAN software version 46V252BW-116**

1 (E81-82-87-88)	2004 >	Logic	1	RC	CAN	BMS104C	A-B-C-D
------------------	--------	-------	---	----	-----	---------	---------



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
1 (E81-82-87-88)	2010 >	Logic	1	RC-KL	CAN	BMS110C	A-B-C-D
1 (F20)	2011 >	Logic	3	RC	CAN	BMS111C	A-B-C
1 (F20)	2014 >	Logic	3	RC	CAN	BMS114C	A-B-C
1 (F20)	2015 >	Logic	6	RC	CAN	BMS114C	A-B-C
2 (F45) Active Tourer	2015 >	Logic	8	RC-KL	CAN	BM2AT15C	A-C-D-Q
2 (F46) Gran Tourer	2015 >	Logic	8	RC-KL	CAN	BMS2GT15C	A-C-D-Q
3 (E90-91-92-93)	2010 >	Logic	1	RC-KL	CAN	BMS310C	A-B-C-D
3 (E90-91-92-93)	2005 >	Logic	1	RC	CAN	BMS305C	A-B-C-D
3 (F30)	2012 >	Logic	3	RC	CAN	BMS312C	C-D
3 (F30)	2014 >	Logic	6	RC	CAN	BMS314R1C	A-C-D
4 (F32-F36)	2014 >	Logic	6	RC	CAN	BMS4RC14C	A-C-D
4 (F32-F36)	2014 >	Logic	9	KL	CAN	BMS4KL14C	A-C-D
5 (E60-E61)	2003 >	Logic	1	RC	CAN	BMS503C	A-B-C-D
5 (E60-E61)	2008 >	Logic	1	RC	CAN	BMS508C	A-B-C-D
5 (F10-F11)	2010 >	Logic	1	RC	CAN	BMS5RC10R2C	A-B-C-D
5 (F10-F11)	2010 >	Logic	4	KL	CAN	<b>BMS5KL10R2C</b>	A-B-C-D
5 (F10-F11)	2013 >	Logic	12	RC	CAN	<b>BMS5RC10R3C</b>	B-F
5 GT (F07)	2010 >	Logic	1	RC	CAN	<b>BMS5GTRC10R3C</b>	A-B-C-D
5 GT (F07)	2010 >	Logic	4	KL	CAN	<b>BMS5GTKL10R2C</b>	A-B-C-D
6 (E63-E64)	2007 >	Logic	1	RC	CAN	BMS607C	A-B-C-D
6 (F12-F13)	2011 >	Logic	1	RC	CAN	BMS611C	A-B-C-D
6 (F12-F13)	2014 >	Logic	7	RC	CAN	BMS614C	A-B-C-D
7 (F01-F02)	2008 >	Logic	2	RC	CAN	BMS708C	A-B-C-D
7 (G11)	2016 >	Logic	9	RC-KL	CAN	BMS716CS	A-B-C
X1 (E84)	2009 >	Logic	1	RC-KL	CAN	BMX109C	A-B-C-D
X1 (F48)	2016 >	Logic	8	RC-KL	CAN	BMX116C	A-B-C-D
X3 (F25)	2010 >	Logic	1	RC	CAN	BMX311C	A-B-D
X3 (F25)	2012 >	Logic	5	RC-KL	CAN	BMX311C	A-B-D
X4 (F26)	2014 >	Logic	6	RC	CAN	BMX414C	A-B-D-T
X5 (E70)	2007 >	Logic	1	RC	CAN	BMX507C	A-B-C-D
X5 (E70)	2012 >	Logic	5	RC-KL	CAN	BMX507C	A-B-C-D
X5 (F15)	2014 >	Logic	8	RC-KL	CAN	BMX514R1C	A-C-D-F
X5 (F15) with LED lights	2014 >	Logic	8	RC-KL	CAN	BMX5LL14R1C	A-C-D-F
X6 (E71)	2008 >	Logic	1	RC	CAN	BMX608C	A-B-C-D
X6 (E71)	2012 >	Logic	5	RC-KL	CAN	BMX608C	A-B-C-D
X6 (F16)	2016 >	Logic	8	RC-KL	CAN	BMX616C	A-B-C-D
Z4 (E89)	2009 >	Logic	1	RC	CAN	BMZ409C	A-B-C-D

#### **CHEVROLET**

##### **CAN software version 46V252CH-101**

Aveo*	2011 >	Logic	2	RC	CAN	CEAV11C	A
Captiva*	2006 >	Level	1	RC	CAN	CECA06C	B
Cruze*	2009 >	Logic	2	RC	CAN	CECR09C	F

##### **PLIP software version 46V252PL-109**

Aveo	2008 >	Power	1	RC	PLIP	CEAV08P	
Spark	2010 >	Power	1	RC	PLIP	CESP10P	

#### **CHRYSLER**

##### **CAN software version 46V252CR-100**

300 C	2008 >	Level	1	RC	CAN	06DE2941A	
-------	--------	-------	---	----	-----	-----------	--



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

**Andromeda software release: Firmware 83**

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F

### CITROEN

#### **CAN software version 46V252PSP-115**

Aircross	2012 >	Logic	5	RC	CAN	CIA12R1C	B-F
Berlingo Multispace	2008 >	Logic	1	RC	CAN	CIBER08R1C	B
Berlingo Van	2008 >	Logic	2	RC	CAN	CIBEV08C	B
C2	2008 >	Logic	1	RC	CAN	CIC208R2C	B
C3	2008 >	Logic	1	RC	CAN	CIC308R2C	B
C3	2010 >	Logic	1	RC	CAN	CIC310C	B
C3 Exclusive	2010 >	Logic	1	RC	CAN	CIC3EX10C	B
C3 Picasso	2009 >	Logic	1	RC	CAN	CIC3PI09R1C	B
C3 Pluriel	2008 >	Logic	1	RC	CAN	CIC3PU08R1C	B
C4	2008 >	Logic	1	RC	CAN	CIC408R1C	B
C4 – C4 Picasso	2011 >	Logic	10	RC	CAN	CIC411C	B-C-E
C4 – C4 Picasso	2013 >	Logic	10	RC	CAN	CIC413C	B-C-E
C4 Picasso	2008 >	Logic	1	RC	CAN	CIC4PI08R1C	B
C5	2008 >	Logic	1	RC	CAN	CIC508R1C	B
C5 Sw	2008 >	Logic	1	RC	CAN	CIC5SW08R1C	B
C8	2008 >	Logic	1	RC	CAN	CIC808R1C	B
C-Crosser	2008 >	Logic	5	RC-KL	CAN	06DE2869A	
C-Zero	2011 >	Logic	11	RC	CAN	CICZ11C	B-F
DS3	2010 >	Logic	1	RC	CAN	CIDS310R1C	B
DS4	2011 >	Logic	10	RC	CAN	CIDS411C	B-C-E
Jumper	2008 >	Logic	4	RC	CAN	CIJUR08R1C	B
Jumper	2011 >	Power	3	RC	CAN	CIJUR11C	F
Jumpy Atlante	2008 >	Logic	1	RC	CAN	CIJUAT08R1C	B
Jumpy Van	2008 >	Logic	2	RC	CAN	CIJUV08R4C	B
Nemo	2008 >	Power	3	RC	CAN	CINE08C	F

#### **PLIP software version 46V252PL-109**

C1	2009 >	Level	4	RC	PLIP	CIC109R2P	
C1	2014 >	Power	1	RC	PLIP	CIC114P	
DS4	2012 >	Logic	3	RC	PLIP	CIDS412P	

### DACIA

#### **CAN software version 46V252DC-100**

Duster	2014 >	Power	1	RC	CAN	DCDU14C	B
Dokker	2014 >	Power	1	RC	CAN	DCDO14C	B
Lodgy	2014 >	Power	1	RC	CAN	DCLO14C	B
Sandero	2014 >	Power	1	RC	CAN	DCSA14C	B
Sandero Stepway	2014 >	Power	1	RC	CAN	DCSS14C	B

#### **PLIP software version 46V252PL-109**

Dokker	2012 >	Power	1	RC	PLIP	DCDO12R1P	
Duster	2011 >	Power	1	RC	PLIP	DCDU11P	
Duster	2014 >	Power	1	RC	PLIP	DCDU14P	
Lodgy	2012 >	Power	1	RC	PLIP	DCLD12R1P	
Logan	2008 >	Power	1	RC	PLIP	DCLO08P	
Logan	2014 >	Power	1	RC	PLIP	DCLO14P	
Logan MCV	2014 >	Power	1	RC	PLIP	DCLM14P	
Sandero	2008 >	Power	1	RC	PLIP	DCSA08P	
Sandero	2014 >	Power	1	RC	PLIP	DCSA14P	



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Sandero Stepway	2014 >	Power	1	RC	PLIP	DCSS14P	/////////
<b>DAHIATSU</b>							
<b>Plip software version 46V252PL-109</b>							
Terios	2010 >	Power	1	RC	PLIP	DATE10P	
<b>FIAT</b>							
<b>CAN software version 46V252FI-115</b>							
500	2007 >	Power	9	RC	CAN	FI50007R2C	F
500	2009 >	Power	9	RC	CAN	FI50009R1C	A
500 L	2012 >	Power	9	RC	CAN	FI500L12R1C	A
500 L	2015 >	Logic	12	RC	CAN	FI500L15C	/////////
500 X	2015 >	Logic	11	RC	CAN	FI500XRC15R2C	C-E-G
500 X	2015 >	Logic	11	KL	CAN	FI500XKL15R2C	C-E-G
Bravo	2007 >	Power	7	RC	CAN	FIBR07C	A
Croma	2005 >	Logic	1	RC	CAN	06DE2206B	F-A
Doblo'	2010 >	Power	9	RC	CAN	FIDO10C	C
Ducato	2007 >	Logic	4	RC	CAN	FIDU07R1C	B
Ducato	2011 >	Power	9	RC	CAN	FIDU11R1C	F
Fiorino	2008 >	Power	9	RC	CAN	FIFI08C	F
Freemont	2011 >	Level	10	RC-KL	CAN	FIFR11C	B-F
Grande Punto	2007 >	Power	3	RC	CAN	FIGP07C	G
Grande Punto	2008 >	Power	9	RC	CAN	FIGP08C	F
Idea	2004 >	Logic	2	RC	CAN	06DE2112A	A
Panda	2005 >	Logic	4	RC	CAN	FIPA05C	F
Panda	2012 >	Power	9	RC	CAN	FIPA12C	F
Punto	2012 >	Power	9	RC	CAN	FIPU12C	F
Punto Evo	2009 >	Power	9	RC	CAN	FIPE09C	F
Qubo	2008 >	Power	9	RC	CAN	FIQU08C	F
Scudo	2007 >	Logic	8	RC	CAN	FISC07C	/////////
Scudo (Use Expert sw)	2009 >	Logic	1	RC	CAN	FISC09C	B
Scudo Van (Use Expert Van sw)	2009 >	Logic	2	RC	CAN	FISCV09R1C	B
Scudo Van (Use Expert Van PSA)	2014 >	Logic	1	RC	CAN	FISC14C	A
Sedici	2006 >	Power	6	KL	CAN	FISEG06C	/////////
Stilo	2003 >	Logic	2	RC	CAN	06DE1865A	A
Stilo	2006 >	Logic	5	RC	CAN	06DE2370A	/////////
Tipo Sedan	2016 >	Logic	13	RC	CAN	FITIS16C	B-C-S
Tipo 5 doors	2016 >	Logic	14	RC	CAN	FITI16C	B-C-S
Ulysse (Use 807 sw)	2008 >	Logic	1	RC	CAN	FIUL08C	B
<b>FORD</b>							
<b>CAN software version 46V252FO-127</b>							
B-Max	2012 >	Power	4	RC	CAN	FOBMX12CR1	B
C-Max	2005 >	Power	1	RC	CAN	FOCMX05C	/////////
C-Max	2007 >	Power	1	RC	CAN	FOCMX07C	/////////
C-Max	2011 >	Logic	7	RC-KL	CAN	FOCMX11R1C	B-C-D
Fiesta	2006 >	Power	2	RC	CAN	FOFI06C	/////////
Fiesta	2008 >	Logic	5	RC	CAN	FOFI08R1C	B
Fiesta	2013 >	Power	2	RC	CAN	FOFI13R2C	F
Fiesta	2016 >	Logic	5	RC-KL	CAN	FOFI16C	F - A



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Focus	2005 >	Power	1	RC	CAN	FOFO05C	/////////
Focus	2007 >	Power	1	RC	CAN	FOFO07C	/////////
Focus	2011 >	Logic	7	RC-KL	CAN	FOFO11C	B-C-D
Fusion	2006 >	Power	2	RC	CAN	FOFU06C	/////////
Galaxy	2007 >	Logic	3	RC-KL	CAN	06DE2505A	/////////
Galaxy	2010 >	Logic	3	RC	CAN	FOGA10C	B-C-D
Galaxy	2015 >	Logic	11	RC-KL	CAN	FOGA15C	A-C-F-S
Ka	2009 >	Power	6	RC	CAN	FOKA09C	A
Kuga	2008 >	Power	4	RC-KL	CAN	FOKU08C	/////////
Kuga	2013 >	Logic	7	RC	CAN	FOKU13C	B-C-D
Mondeo	2007 >	Logic	3	RC-KL	CAN	06DE2506A	/////////
Mondeo	2011 >	Logic	3	RC-KL	CAN	FOMO11R1C	B-C-D
Mondeo	2015 >	Logic	11	RC-KL	CAN	FOMO15R1C	A-B-C
Ranger	2012 >	Logic	9	RC	CAN	FORA12C	A
Ranger	2014 >	Logic	12	RC	CAN	FORA14C	A
S-Max	2006 >	Logic	3	RC-KL	CAN	06DE2358C	/////////
S-Max	2010 >	Logic	3	RC-KL	CAN	FOSMX11R1C	B-C-D
S-Max	2015 >	Logic	11	RC-KL	CAN	FOSMX15C	A-C-F-S
Transit Custom	2013 >	Power	10	RC	CAN	FOTR13R2C	B

#### Plip software version 46V252PL-109

Fusion	2009 >	Power	1	RC	PLIP	FOFU09P	/////////
Transit	2009 >	Power	1	RC	PLIP	FOTR09R1P	/////////
Transit Connect	2010 >	Power	1	RC	PLIP	FOTCO10C	/////////

## GREAT WALL

#### Plip software version 46V252PL-109

Hover	2010 >	Logic	3	RC	PLIP	GWHO10P	/////////
-------	--------	-------	---	----	------	---------	-----------

## HONDA

#### CAN software 1 wire version 46V252HO-103

Civic*	2006 >	Power	1	RC	CAN	HOCH10C	B
CR-V*	2009 >	Power	2	RC	CAN	HOCRV09R1C	B
Insight*	2009 >	Power	1	RC	CAN	HOIN09C	B
Jazz*	2009 >	Power	1	RC	CAN	HOJA09C	B

#### CAN software version 46V252HOH103

Accord	2008 >	Power	1	RC	CAN	06DE2967A	/////////
Civic	2013 >	Power	2	RC	CAN	HOCH13C	B
Civic	2013 >	Power	3	KL	CAN	HOCH13C	B
CR-V	2013 >	Power	2	RC	CAN	HOCRV13C	B-C
CR-V	2013 >	Power	3	KL	CAN	HOCRVKL13C	B-C

#### Plip software version 46V252PL-109

FRV	2007 >	Power	1	RC	PLIP	HOFRV07P	/////////
-----	--------	-------	---	----	------	----------	-----------

## HYUNDAI

#### CAN software version 46V252HY-107

Genesis	2015 >	Logic	4	KL	CAN	HYGE15C	A-B-C
i40	2011 >	Logic	1	RC-KL	CAN	HYi4011C	B-C
iX35	2011 >	Logic	1	RC-KL	CAN	HYiX3511C	B-C
Santa Fe	2013 >	Logic	3	RC-KL	CAN	HYSFRC13C	B-C
Tucson	2015 >	Logic	5	RC-KL	CAN	HYTU15C	B-C



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

**Andromeda software release: Firmware 83**

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F

**Plip software version 46V252PL-109**

i10	2010 >	Power	2	RC	PLIP	HYi1010P	
i20	2009 >	Power	1	RC	PLIP	HYi2009P	
i30	2011 >	Power	1	RC	PLIP	HYi3011R1P	

### INFINITI

**CAN software version 46V252IN-100**

EX 37	2009 >	Power	1	RC-KL	CAN	INEX3709C	A-D
FX 37	2009 >	Power	1	RC-KL	CAN	INFX3709C	A-D

### JEEP

**CAN software version 46V252JE-109**

Cherokee	2012 >	Level	3	RC	CAN	JECH12C	F
Cherokee	2014 >	Power	5	RC	CAN	JECH14R1C	A
Compass	2008 >	Power	1	RC	CAN	06DE2775A	A
Grand Cherokee	2012 >	Level	3	RC	CAN	JEGCH12C	A-F
Grand Cherokee	2014 >	Level	4	RC	CAN	JEGC14C	A-G
Patriot	2010 >	Power	1	RC	CAN	JEPA07C	
Renegade	2015 >	Logic	6	RC	CAN	JERERC15R2C	C-E-G
Renegade	2015 >	Logic	6	KL	CAN	JEREKL15R2C	C-E-G
Wrangler	2010 >	Level	2	RC	CAN	JEWR10C	

**Plip software version 46V252PL-109**

Wrangler	2010 >	Power	2	RC	PLIP	JEWR10P	
----------	--------	-------	---	----	------	---------	--

### KIA

**CAN software version 46V252KI-115**

Carens	2013 >	Logic	10	RC	CAN	KICA13C	B-F
Carnival	2007 >	Level	1	RC	CAN	06DE2524A	
Cee'd	2012 >	Level	7	RC	CAN	KICE12C	B-F
Procee'd	2013 >	Logic	9	RC-KL	CAN	Underwork	
Rio	2012 >	Level	7	RC	CAN	KIRI12C	A-D
Sorento	2013 >	Logic	8	RC	CAN	KISO13C	F
Sorento	2015 >	Logic	11	KL	CAN	KISOKL15R1C	A-B-C
Sorento Active	2010 >	Level	3	RC	CAN	KISOA10R1C	A-B-D
Sorento Active	2011 >	Logic	6	RC	CAN	KISOA10R1C	A-B-D
Sorento Active +	2010 >	Level	2	KL	CAN	KISOAP10R1C	A-B-D
Sorento Active +	2011 >	Logic	5	KL	CAN	KISOAP10R1C	A-B-D
Sportage	2010 >	Level	4	RC-KL	CAN	KISP10R2C	A-B-D
Sportage	2011 >	Logic	7	RC-KL	CAN	KISP10R2C	A-B-D
Sportage	2016 >	Logic	11	RC-KL	CAN	KISP16R2C	B-C

**Plip software version 46V252PL-109**

Picanto	2011 >	Power	1	RC	PLIP	KIPI11P	
Venga	2012 >	Power	1	RC	PLIP	KIVE12P	

### LANCIA

**CAN software version 46V252LA-107**

Delta	2008 >	Power	2	RC	CAN	LADE08C	A
Musa	2004 >	Logic	1	RC	CAN	06DE2112A	
Musa	2007 >	Power	2	RC	CAN	LAMU07C	A
Phedra (Use 807 sw)	2008 >	Logic	1	RC	CAN	LAPH08C	B
Voyager	2011 >	Level	4	RC	CAN	LAVO11C	A-C-F



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Ypsilon	2005 >	Logic	1	RC	CAN	06DE2112A	/////////
Ypsilon	2007 >	Power	2	RC	CAN	LAYP07C	A
Ypsilon	2011 >	Power	3	RC	CAN	LAYP11C	F

### LAND ROVER

#### CAN software version 46V252LR-109

Discovery 4	2011 >	Logic	3	RC-KL	CAN	LRDI11C	A-F
Evoque	2011 >	Logic	3	RC-KL	CAN	LRRRE11R1C	A-D-F
Evoque	2014 >	Logic	4	RC	CAN	LRRRE14C	F
Freelander 2	2007 >	Logic	2	RC	CAN	06DE2792B	/////////
Range Rover Sport	2006 >	Logic	1	RC	CAN	06DE2790A	/////////
Range Rover Sport	2011 >	Logic	3	RC-KL	CAN	LRRRS11C	A-D-F
Range Rover Sport	2014 >	Logic	4	RC-KL	CAN	LRRRS14C	C

### LEXUS

#### CAN software version 46V252LE-104

LX 570	2009 >	Level	1	RC-KL	CAN	Unavailable	/////////
--------	--------	-------	---	-------	-----	-------------	-----------

### MAZDA

#### CAN software version 46V252MA-113

CX-3	2015 >	Level	9	RC-KL	CAN	MACX315C	S
CX-5	2012 >	Power	4	RC	CAN	MACX512C	/////////
2	2008 >	Power	2	RC	CAN	MA208C	/////////
2	2011 >	Power	2	RC	CAN	MA208C	E
2	2015 >	Power	7	RC	CAN	MA215C	B
2	2015 >	Power	8	KL	CAN	MA215C	B
3	2009 >	Power	3	RC	CAN	MA309C	/////////
3	2015 >	Power	6	RC-KL	CAN	MA315C	A-B-C
5	2011 >	Power	3	RC	CAN	MA511C	E
6	2008 >	Power	1	RC	CAN	MA608C	/////////
6	2013 >	Power	4	RC	CAN	MA613C	B
6 (with original alarm)	2014 >	Power	6	KL	CAN	MA6KL14C	A-B-F
6	2015 >	Power	7	RC-KL	CAN	MA613C	A-B-M

### MERCEDES

#### CAN software version 46V252ME-119

A (169)	2005 >	Logic	2	RC	CAN	MEA05C	A-B-D
A (176)	2013 >	Power	3	RC	CAN	MEA13C	B-D
B (245)	2005 >	Logic	2	RC	CAN	MEB05C	A-B-D
B (246)	2011 >	Power	3	RC	CAN	MEB11C	B-D
B (246)	2015 >	Power	3	RC	CAN	MEB15C	B-D
C (203)	2005 >	Power	1	RC	CAN	MEC05C	/////////
C (204)	2007 >	Power	3	RC	CAN	MEC07C	A-B-C-D
C (205)	2014 >	Power	5	RC	CAN	MEC14R2C	A-C
Citan	2014 >	Power	6	RC	CAN	MECI14C	B-E
CL (215)	2005 >	Power	1	RC	CAN	MECL05C	A-B-C-D
CL (216)	2006 >	Power	3	RC-KL	CAN	MECL06CR1	A-B-C-D
CLA (117)	2013 >	Power	3	RC	CAN	MECLA13C	B-D
CLK (209)	2005 >	Power	1	RC	CAN	MECLK05C	A-B-C-D
CLS (218)	2011 >	Power	1	RC	CAN	MECLS11C	A-B-C
CLS (218)	2013 >	Power	3	RC	CAN	MECLS13C	A-B-C



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
CLS (219)	2007 >	Power	1	RC	CAN	MECLS07C	A-B-C-D
E Coupé (207)	2009 >	Power	3	RC	CAN	MEE09CR1	A-B-C-D
E - E Sw (212)	2009 >	Power	3	RC	CAN	MEE09CR1	A-B-C-D
E (211)	2005 >	Power	1	RC	CAN	MEE05C	A-B-C-D
G (463)	2008 >	Power	1	RC-KL	CAN	MEG08C	B-C-D
G (463)	2013 >	Power	3	RC	CAN	MEG13C	A-B-C
GL (164)	2006 >	Power	1	RC-KL	CAN	MEGL06CR1	A-B-C-D
GLC (253)	2015 >	Power	5	RC	CAN	MEGLC15C	A-B
GLE (166)	2015 >	Power	3	RC	CAN	MEGLE15C	A-B
GLK (204)	2009 >	Power	3	RC	CAN	MEGLK09C	A-B-C-D
GLK (204)	2012 >	Power	3	RC	CAN	MEGLK12C	A-B-D-F
Maybach (240)	2009 >	Power	1	RC-KL	CAN	MEMA09C	A-B-C-D
ML (164)	2006 >	Power	1	RC-KL	CAN	MEML06CR1	A-B-C-D
ML (166)	2011 >	Power	3	RC	CAN	MEML11C	B-D
R (251)	2006 >	Power	1	RC-KL	CAN	MECR06C	A-B-C
S (220)	2005 >	Power	1	RC	CAN	MES05C	A-B-F
S (221)	2008 >	Power	3	RC-KL	CAN	MES08C	A-B-C-D
S (222)	2014 >	Power	5	RC	CAN	MES14C	A-B-C
SL (230)	2008 >	Power	1	RC	CAN	MESL08C	A-B-C-D
SLK (171)	2006 >	Power	1	RC	CAN	MESLK06C	A-B-C-D
SLK (172)	2012 >	Power	3	RC	CAN	MESLK12C	A-B-D-F
SLR (199)	2009 >	Power	1	RC	CAN	MESLR09C	A-B-D
SLS (197)	2010 >	Power	3	RC	CAN	MESLS10C	A-B-D
Sprinter (906)	2006 >	Power	1	RC	CAN	MESP07C	A-B-D
Sprinter (906)	2011 >	Power	4	RC	CAN	MESP11C	A-B-F
Sprinter (906)	2015 >	Power	4	RC	CAN	MESP15C	A-B-F-R
Viano (639)	2007 >	Power	1	RC	CAN	MEVIA07C	A-B-C-D
Vito (639)	2007 >	Power	1	RC	CAN	MEVI07C	//////
Vito (447)	2014 >	Power	8	RC	CAN	MEVI14R1C	A-B-D-F
V class (447)	2015 >	Power	8	RC	CAN	MEV14C	A-B-D-F

#### MINI

##### CAN software version 46V252MN-105

Clubman	2007 >	Logic	2	RC	CAN	MNCL07C	B-C-D
Convertible	2009 >	Logic	1	RC	CAN	MNC09C	B-C-D
Cooper	2007 >	Logic	1	RC	CAN	MNCO07C	B-C-D
Cooper	2015 >	Logic	3	RC	CAN	MNCO15C	A-C-D-Q
Countryman	2011 >	Logic	2	RC	CAN	MNCM11C	C-D
Coupé	2012 >	Logic	1	RC	CAN	MNCO12C	C-D
One	2007 >	Logic	1	RC	CAN	MNONE07C	B-C-D
Paceman	2013 >	Logic	1	RC	CAN	MNPA13C	B-C-D
Roadster	2012 >	Logic	1	RC	CAN	MNRO12C	C-D

#### MITSUBISHI

##### CAN software version 46V252MI-113

ASX	2010 >	Logic	1	RC-KL	CAN	MIASX10R2C	B-F
Lancer	2008 >	Logic	1	RC-KL	CAN	06DE2998A	//////
L 200	2015 >	Logic	5	RC-KL	CAN	MIL20015C	A-B
Outlander	2007 >	Logic	1	RC-KL	CAN	06DE2510B	//////
Outlander	2013 >	Power	3	RC-KL	CAN	MIOU13C	B



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Outlander PHEV	2013 >	Power	3	RC-KL	CAN	MIOU13C	B
Spacestar	2014 >	Power	4	KL	CAN	MISP14C	B-E-S
Spacestar	2016 >	Power	4	RC	CAN	MISP16C	A-B
<b>Plip software version 46V252PL-109</b>							
L 200	2010 >	Power	1	RC	PLIP	MIL20010P	/////////
Pajero Sport	2011 >	Power	1	RC	PLIP	MIPAS11P	/////////

#### **NISSAN**

##### **CAN software version 46V252NI-121**

370 Z	2009 >	Power	1	RC-KL	CAN	NI370Z09R1C	B-E
Cube	2010 >	Power	1	KL	CAN	NICUKL10R3C	B-E
Cube	2010 >	Power	1	RC	CAN	NICURC10R2C	B-E
Juke	2010 >	Power	1	RC	CAN	NIJURC10R3C	B-E
Juke	2010 >	Power	1	KL	CAN	NIJUKL10R3C	B-E
Micra (K12)	2007 >	Power	1	RC-KL	CAN	NIMI07R1C	B-E
Micra (K13)	2010 >	Power	1	RC	CAN	NIMIRC10R2C	B-E
Micra (K13)	2010 >	Power	1	KL	CAN	NIMIKL10R3C	B-E
Murano	2008 >	Power	1	RC-KL	CAN	NIMU08R1C	B-E
Navara	2009 >	Power	1	RC	CAN	NINA09R3C	B-E
<b>Navara</b>	<b>2016 &gt;</b>	<b>Power</b>	<b>1</b>	<b>RC-KL</b>	<b>CAN</b>	<b>NINA16CS</b>	<b>B-S</b>
Note	2008 >	Power	1	RC	CAN	NINO08R2C	B-E
Note	2013 >	Power	1	KL	CAN	NINOKL13C	B-E
Note	2013 >	Power	1	RC	CAN	NINORC13C	B-E
NV 200	2010 >	Power	1	RC	CAN	NINV20010R3C	B-E
NV 400 (2 buttons)	2012 >	Power	1	RC	CAN	NINV40012C	B-E
NV 400 (3 buttons)	2012 >	Power	6	RC	CAN	NINV40012C	B-E
Pathfinder	2010 >	Power	1	RC	CAN	NIPA10R1C	B-E
Primastar	2015 >	Power	4	RC	CAN	NIPR15C	B-F-T
Pulsar	2014 >	Level	3	RC-KL	CAN	NIPU14C	B-S
Qashqai	2008 >	Power	1	RC-KL	CAN	NIQA08R1C	B-E
Qashqai	2012 >	Power	2	KL	CAN	NIQAKL12C	B-E
Qashqai	2012 >	Power	1	RC	CAN	NIQARC12C	B-E
Qashqai	2014 >	Level	3	RC-KL	CAN	NIQA14R1C	B-F
X-Trail	2008 >	Power	1	RC-KL	CAN	NIXTRC08R2C	B-E
X-Trail	2015 >	Level	3	RC-KL	CAN	NIXT15C	A-B-F-S

##### **Plip software version 46V252PL-109**

Pixo	2010 >	Power	1	RC	PLIP	NIP10P	/////////
Primastar	2011 >	Power	1	RC	PLIP	NIPR11P	/////////

#### **OPEL**

##### **CAN software 1 wire version 46V252OP-109**

Adam*	2012 >	Logic	4	RC	CAN	OPAD12C	/////////
Antara*	2006 >	Level	3	RC	CAN	OPAN06C	B-D
Antara*	2014 >	Level	3	RC	CAN	OPAN14C	A
Astra * (H)	2005 >	Logic	1	RC	CAN	OPAS05C	/////////
Astra*	2010 >	Logic	4	RC	CAN	OPAS10C	A-B-D
Astra*	2016 >	Logic	6	RC-KL	CAN	OPAS16C	B
Corsa (D) *	2007 >	Logic	1	RC	CAN	OPCO07C	A
Insignia *	2009 >	Logic	4	RC	CAN	OPIN09CR1	A-D
Mokka*	2014 >	Logic	5	RC	CAN	OPMK14C	/////////



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Vectra (C) *	2007 >	Logic	2	RC	CAN	OPVE06C	/////////
Zafira*	2007 >	Logic	1	RC	CAN	OPZA07C	A
Zafira Tourer*	2014 >	Logic	4	RC	CAN	OPZATO14C	A
<b>CAN software version 46V252OPH-107</b>							
Combo	2014 >	Power	2	RC	CAN	OPCO14C	F
Movano (2 buttons)	2010 >	Power	1	RC-KL	CAN	OPMO10R2C	B-F-E
Movano (3 buttons)	2010 >	Power	4	RC-KL	CAN	OPMO10R2C	B-F-E
Vivaro	2015 >	Power	3	RC	CAN	OPVI15C	B-F-T
<b>Plip software version 46V252PL-109</b>							
Agila	2009 >	Level	4	RC	PLIP	OPAG09P	/////////
Meriva	2010 >	Power	1	RC	PLIP	OPME10P	/////////
Vivaro	2011 >	Power	1	RC	PLIP	OPVI11P	/////////
Tigra	2007 >	Power	2	RC	PLIP	OPTI07P	/////////
<b>PEUGEOT</b>							
<b>CAN software version 46V252PSP-115</b>							
207	2007 >	Logic	1	RC	CAN	PE20707R1C	B
207 CC	2008 >	Logic	1	RC	CAN	PE207CC08R1C	B
3008	2009 >	Logic	1	RC	CAN	PE300809R2C	B
307	2007 >	Logic	1	RC	CAN	PE30707C	B
308	2008 >	Logic	1	RC	CAN	PE30808R1C	B
4007	2007 >	Logic	5	RC	CAN	06DE2673B	/////////
407	2007 >	Logic	1	RC	CAN	PE40707C	B
5008	2010 >	Logic	1	RC	CAN	PE500810C	B
508	2011 >	Logic	10	RC-KL	CAN	PE50811R1C	B-F
508 Sw	2011 >	Logic	10	RC-KL	CAN	PE508SW11R1C	B-F
807	2008 >	Logic	1	RC	CAN	PE80708R1C	B
Bipper	2008 >	Power	3	RC	CAN	PEBI08C	/////////
Boxer	2008 >	Logic	4	RC	CAN	PEBO08R1C	/////////
Boxer	2011 >	Power	3	RC	CAN	PEBO11C	F
Expert Tepee	2008 >	Logic	1	RC	CAN	PEEXT08R1C	B
Expert Van	2008 >	Logic	2	RC	CAN	PEEXV08C	B
I-ON	2011 >	Logic	11	RC	CAN	PEION11C	B-E
Partner Tepee	2008 >	Logic	1	RC	CAN	PEPAT08R1C	B
Partner Van	2008 >	Logic	2	RC	CAN	PEPAV08C	B
Partner Van	2012 >	Logic	2	RC	CAN	PEPAV12C	B
RCZ	2010 >	Logic	1	RC	CAN	PERCZ10C	B
<b>Plip software version 46V252PL-109</b>							
107	2009 >	Level	4	RC	PLIP	PE10709R2P	/////////
108	2014 >	Power	1	RC	PLIP	PE10814P	/////////
2008	2013 >	Logic	3	RC	PLIP	PE2008R113P	/////////
206 Plus	2009 >	Power	2	RC	PLIP	PE206P09P	/////////
208	2012 >	Logic	3	RC	PLIP	PE2083D12P	/////////
208	2012 >	Logic	3	RC	PLIP	PE2085D12P	/////////
<b>PORSCHE</b>							
<b>CAN software version 46V252PO-106</b>							
911 (991)	2012 >	Logic	4	RC-KL	CAN	PO91112R1C	A-B-C-D
Boxster	2009 >	Power	1	RC	CAN	POBX09C	A-B-C-F
Carrera S (997)	2007 >	Power	1	RC	CAN	06DE2916A	B-D



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Cayenne	2008 >	Logic	2	RC	CAN	POCAE08C	A-B-D
Cayenne	2010 >	Logic	3	RC-KL	CAN	POCA10C	A-B-D-F
Panamera	2009 >	Logic	3	RC-KL	CAN	POPA09C	A-B-D-F

#### **PSA (Original alarm activated)**

##### **CAN software version 46V252PSH103**

207	2008 >	Logic	1	RC	CAN	PSAPE20708C	A
208	2014 >	Logic	2	RC	CAN	PSAPE20814C	A-H
307	2007 >	Logic	1	RC	CAN	PSAPE30707C	A
308	2008 >	Logic	1	RC	CAN	PSAPE30808C	A
308	2014 >	Logic	3	KL	CAN	PSAPE308KL14C	A-B-C
308	2014 >	Logic	4	RC	CAN	PSAPE308RC14	A-N
407	2007 >	Logic	1	RC	CAN	PSAPE40707C	A
Berlingo Van	2014 >	Logic	1	RC	CAN	PSACIBEV14C	A
Berlingo Multispace	2008 >	Logic	1	RC	CAN	PSACIBER08C	A
C2	2008 >	Logic	1	RC	CAN	PSACIC208C	A
C3	2008 >	Logic	1	RC	CAN	PSACIC308C	A
C3	2010 >	Logic	1	RC	CAN	PSACIC310C	A
C3 Picasso	2009 >	Logic	1	RC	CAN	PSACIC3P09C	A
C4	2008 >	Logic	1	RC	CAN	PSACIC408C	A
C4 Picasso	2008 >	Logic	1	RC	CAN	PSACIC4P08C	A
C5	2008 >	Logic	1	RC	CAN	PSACIC508C	A
C8	2008 >	Logic	1	RC	CAN	PSACIC808C	A
DS3	2010 >	Logic	1	RC	CAN	PSACIDS310C	A
Expert Van	2014 >	Logic	1	RC	CAN	PSAPEEXV14C	A
Expert Tepee	2008 >	Logic	1	RC	CAN	PSAPEEXT08C	A
Jumpy Van	2014 >	Logic	1	RC	CAN	PSACIJUV14C	A
Jumpy Atlante	2008 >	Logic	1	RC	CAN	PSACIJUA08C	A
Partner Van	2014 >	Logic	1	RC	CAN	PSAPEPAV14C	A
Partner Tepee	2008 >	Logic	1	RC	CAN	PSAPEPAT08C	A
RCZ	2010 >	Logic	1	RC	CAN	PSAPER CZ10C	A
807	2008 >	Logic	1	RC	CAN	PSAPE80707C	A
2008	2014 >	Logic	2	RC	CAN	PSAPE200814C	A-H
3008	2009 >	Logic	1	RC	CAN	PSAPE300809C	A
3008	2012 >	Logic	1	RC	CAN	PSAPE300812C	A
5008	2010 >	Logic	1	RC	CAN	PSAPE500810C	A

#### **RENAULT**

##### **CAN software version 46V252RE-123**

BeBop	2009 >	Power	1	RC	CAN	REBBO09R2C	B-E-O-P
Captur	2013 >	Logic	3	RC	CAN	RECA13R2C	A-F
Clio (III)	2007 >	Power	1	RC	CAN	RECL07CR1	B
Clio IV	2013 >	Logic	3	RC	CAN	RECLR213C	A-F
Espace	2015 >	Logic	6	RC-KL	CAN	REES15R2C	A-B-F
Espace (head up display)	2015 >	Logic	6	RC-KL	CAN	REESHU15R2C	A-B-F
Grand Modus	2008 >	Power	1	RC	CAN	REGMO08C	
Kadjar	2015 >	Logic	6	RC-KL	CAN	REKD15R2C	B-R
Kangoo	2008 >	Power	1	RC	CAN	REKA08R1C	B-E
Kangoo	2011 >	Power	1	RC	CAN	REKA11R2C	B-E
Laguna III	2008 >	Logic	2	RC-KL	CAN	RELA08C	A-B



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Laguna III	2011 >	Logic	2	RC-KL	CAN	RELA11C	A-B
Master (2 buttons)	2010 >	Power	1	RC	CAN	REMA10R3C	B-F
Master (3 buttons)	2010 >	Power	7	RC	CAN	REMA10R3C	B-F
Megane	2009 >	Logic	2	RC-KL	CAN	REME09C	A-B-E
Megane	2012 >	Logic	2	RC-KL	CAN	REME12C	A-B-F
Megane IV	2016 >	Logic	8	RC	CAN	REME16C	A-B-F-S
Modus	2008 >	Power	1	RC	CAN	REMO08C	
Scenic	2009 >	Logic	2	RC-KL	CAN	RESC09C	A-B
Scenic X-Mode	2009 >	Logic	2	RC-KL	CAN	RESCX09C	A-B
Trafic	2014 >	Power	4	RC	CAN	RETR14C	B-F-T
Twingo	2014 >	Power	5	RC	CAN	RETW14C	B-F-T
Wind	2011 >	Power	1	RC	CAN	REWI11R1C	B

#### **Plip software version 46V252PL-109**

Clio IV	2013 >	Power	1	RC	PLIP	RECL13P	
Clio Sport	2010 >	Logic	3	RC	PLIP	RECLSP10P	
Symbol	2014 >	Power	1	RC	PLIP	RESY14P	
Trafic	2011 >	Power	1	RC-KL	PLIP	RETR11P	
Twingo	2009 >	Power	1	RC	PLIP	RETW09P	
Twingo	2012 >	Power	1	RC	PLIP	RETW12P	

## SEAT

#### **CAN software version 46V252AG-122**

Alhambra	2011 >	Logic	1	RC	CAN	SEAL10C	A-B-C-D
Alhambra (7N)	2015 >	Logic	8	RC	CAN	SEAL15C	A-B-C
Altea (5P)	2004 >	Logic	1	RC	CAN	06DE2109B	A-B-D
Cordoba (6L)	2006 >	Power	2	RC	CAN	SECO06C	/
Exeo (3R)	2009 >	Logic	1	RC	CAN	SEEX09R1C	A-B-C-D
Ibiza (6J)	2008 >	Logic	1	RC	CAN	SEIB08C	B-C-D
Ibiza (6L)	2005 >	Power	2	RC	CAN	SEIB05C	A
Leon (1P)	2005 >	Logic	1	RC	CAN	06DE2195B	A-B-D
Leon (1P)	2010 >	Logic	1	RC	CAN	SELE10C	A-C-D
Leon (5F)	2013 >	Logic	3	RC	CAN	SELE13C	A-C-D
Leon (5F)	2013 >	Logic	4	KL	CAN	SELE13C	A-C-D
Mii	2012 >	Logic	1	RC	CAN	SEMII12C	A-C
Toledo	2013 >	Logic	1	RC	CAN	SETO13C	A-B-D

## SKODA

#### **CAN software version 46V252AG-122**

Citigo	2012 >	Logic	1	RC	CAN	SKCI12C	B-C
Fabia (5J)	2007 >	Logic	1	RC	CAN	06DE3091A	A-B
Fabia (6Y)	2005 >	Power	2	RC	CAN	06DE1863A	
Fabia (6N)	2015 >	Logic	3	RC	CAN	SKFA15C	A-B-C
Fabia (6N)	2015 >	Logic	9	KL	CAN	SKFA15C	A-B-C
Octavia (1U)	2005 >	Power	2	RC	CAN	06DE2114B	
Octavia (1Z)	2009 >	Logic	1	RC	CAN	06DE3070A	A-B-D
Octavia (5E)	2013 >	Logic	3	RC	CAN	SKOC13C	A-C-D
Octavia (5E)	2013 >	Logic	4	KL	CAN	SKOC13C	A-C-D
Rapid (6N)	2014 >	Logic	1	RC	CAN	SKRA14C	
Roomster (5J)	2007 >	Logic	1	RC	CAN	06DE3071A	A-B
Superb (3T)	2009 >	Logic	1	RC	CAN	06DE2970A	A-B-D



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Superb (3T)	2009 >	Logic	6	KL	CAN	06DE2970A	A-B-D
Superb (3U)	2005 >	Power	2	RC	CAN	SKSU05C	////////
Superb (7N)	2015 >	Logic	3	RC	CAN	SKSU15C	A-B-C
Superb (7N)	2015 >	Logic	4	KL	CAN	SKSU15C	A-B-C
Yeti (5L)	2009 >	Logic	1	RC	CAN	SKYE09C	A-C-F

#### SMART

##### CAN software version 46V252ME-118

Fortwo	2014 >	Logic	7	RC	CAN	SMFT14C	B
--------	--------	-------	---	----	-----	---------	---

##### PLIP software version 46V252PL-109

Fortwo	2010 >	Power	1	RC	PLIP	SMFT10P	////////
Fortwo	2012 >	Power	1	RC	PLIP	SMFT12P	////////
Fortwo More	2010 >	Power	1	RC	PLIP	SMFTM10P	////////

#### SUBARU

##### CAN software version 46V252SBH105

BRZ	2012 >	Level	4	KL	CAN	SBXVRC12C	F
Forester	2009 >	Level	1	RC	CAN	SBFO09C	B-Q
Forester	2012 >	Level	5	RC	CAN	SBFORC12C	B-F-Q
Forester	2012 >	Level	7	KL	CAN	SBFOKL12C	B-F-Q
Impreza	2009 >	Level	1	RC	CAN	SBIM09R1C	B-Q
Legacy	2009 >	Level	1	RC	CAN	SBLE09C	B-Q
Legacy	2012 >	Power	3	KL	CAN	SBLEKL12C	B-F
Legacy Sw	2009 >	Level	1	RC	CAN	SBLESW09C	B-Q
Legacy Sw	2012 >	Power	3	KL	CAN	SBLESW12C	B-F
Outback	2009 >	Level	1	RC	CAN	SBOU09C	B-Q
Outback	2012 >	Power	3	KL	CAN	SBOUKL12C	B-F
Outback	2015 >	Level	6	KL	CAN	SBOUKL15C	A-B-F
Outback	2015 >	Level	5	RC	CAN	SBOURC15C	A-B-F
Trezia	2011 >	Power	3	RC-KL	CAN	SBTR11C	B
XV	2012 >	Level	5	RC	CAN	SBXVRC12C	B-Q

##### PLIP software version 46V252PL-109

Legacy	2011 >	Power	1	RC	PLIP	SBLE11P	////////
Legacy Sw	2011 >	Power	1	RC	PLIP	SBLEW11P	////////
Outback	2011 >	Power	1	RC	PLIP	SBOUT11P	////////

#### SUZUKI

##### CAN software version 46V252SZ-104

Grand Vitara	2013 >	Power	3	KL	CAN	SUGVKL13C	B
S-Cross	2014 >	Level	2	RC	CAN	SUSC14C	B
Swift	2008 <	Power	1	KL	CAN	SUSW08C	/
Swift	2011 >	Level	2	KL	CAN	SUSW11C	B

##### PLIP software version 46V252PL-109

Splash	2009 >	Level	4	RC	PLIP	SUSP09P	////////
Swift	2009 >	Power	1	KL	PLIP	SUSWT09P	////////

#### TOYOTA

##### CAN software version 46V252TO-109

Auris	2007 >	Level	1	RC	CAN	06DE2525B	////////
Auris	2013 >	Power	3	RC	CAN	TOAU13C	A-B-C
Auris	2013 >	Power	3	KL	CAN	TOAU13C	A-B-F



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Auris Hybrid	2013 >	Power	3	RC	CAN	TOAUH13C	A-B-C
Auris Hybrid	2013 >	Power	3	KL	CAN	TOAUH13C	A-B-F
Avensis	2009 >	Power	3	RC	CAN	TOAV09CR1	A-B-C
Avensis	2013 >	Power	3	RC	CAN	TOAV13C	A-B-C
Avensis	2013 >	Power	3	KL	CAN	TOAV13C	A-B-F
Camry	2008 >	Level	2	RC	CAN	Unavailable	/////////
Corolla	2014 >	Power	6	RC	CAN	Underwork	A-B-C
Corolla	2014 >	Power	6	KL	CAN	Underwork	A-B-F
GT86	2012 >	Level	4	KL	CAN	TOGT86KL12C	A-B-F
IQ	2009 >	Power	3	RC	CAN	TOIQ09C	A-B
Land Cruiser V8	2009 >	Power	3	RC	CAN	Underwork	A-B-C
Land Cruiser V8	2009 >	Power	3	KL	CAN	Underwork	A-B-F
Land Cruiser 150 5 doors	2014 >	Power	3	RC	CAN	Underwork	A-B-C
Land Cruiser 150 5 doors	2014 >	Power	3	KL	CAN	Underwork	A-B-F
Land Cruiser 3 doors	2014 >	Power	3	RC	CAN	Underwork	A-B-C
Land Cruiser 3 doors	2014 >	Power	3	KL	CAN	Underwork	A-B-F
Prius	2011 >	Power	3	RC	CAN	TOPR11C	A-B-C
Prius	2011 >	Power	3	KL	CAN	TOPR11C	A-B-F
Prius Hybrid with A/C Pushbutton	2014 >	Power	7	KL	CAN	TOPR11C	A-B-F
Pro Ace	2014 >	Logic	5	RC	CAN	TOPA14C	A
Rav 4	2006 >	Level	1	RC	CAN	06DE2633A	/////////
Rav 4	2013 >	Power	3	RC	CAN	TORA13C	A-B-C
Rav 4	2013 >	Power	3	KL	CAN	TORA13C	A-B-F
<b>Rav 4 Hybrid</b>	<b>2016 &gt;</b>	<b>Power</b>	<b>3</b>	<b>RC-KL</b>	<b>CAN</b>	<b>TORAH16C</b>	<b>A-B-S</b>
Urban Cruiser	2009 >	Power	3	RC	CAN	TOUC09CR1	A-B-F
Verso	2009 >	Power	3	RC	CAN	TOVE09CR1	A-B
Verso S	2010 >	Power	3	RC	CAN	TOVE10C	A-B
Yaris	2006 >	Level	1	RC	CAN	06DE2265B	/////////
Yaris	2011 >	Power	3	RC	CAN	TOYA11C	A-B-C
Yaris	2011 >	Power	3	KL	CAN	TOYA11C	A-B-F
Yaris	2016 >	Power	3	RC	CAN	TOYA16C	A-B-F
Yaris Hybrid	2012 >	Power	3	RC	CAN	TOYAH12C	A-B-C
Yaris Hybrid	2012 >	Power	3	KL	CAN	TOYAH12C	A-B-F
<b>PLIP software version 46V252PL-109</b>							
Aygo	2009 >	Level	4	RC	PLIP	TOAY09R2P	/////////
Aygo	2014 >	Power	1	RC	PLIP	TOAY14P	/////////

## **VOLKSWAGEN**

<b>CAN software version 46V252AG-122</b>							
Amarok	2011 >	Logic	1	RC	CAN	VWAM11C	B-D
Caddy	2012 >	Logic	1	RC	CAN	VWCA12C	A-B-C-D
Caddy (2K)	2004 >	Logic	1	RC	CAN	06DE2114B	/////////
Crafter (Use Sprinter sw)	2008 >	Power	1	RC	CAN	06DE2870A	A-B-D
Crafter (Use Sprinter sw)	2011 >	Power	4	RC	CAN	06DE2870A	A-B-F
Eos (1F)	2007 >	Logic	1	RC	CAN	06DE2587A	A-B-D
Eos (1F)	2007 >	Logic	6	KL	CAN	06DE2587A	A-B-D
Golf IV (1J)	2003 >	Power	2	RC	CAN	06DE1976A	/////////
Golf Plus (1K)	2007 >	Logic	1	RC	CAN	06DE2588A	A-B-D
Golf V (1K)	2004 >	Logic	1	RC	CAN	06DE2114B	/////////
Golf V (1K)	2007 >	Logic	1	RC	CAN	06DE2588A	A-B-D



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
Golf VI (1K)	2008 >	Logic	1	RC	CAN	06DE2999A	A-B-D
Golf VI (1K)	2008 >	Logic	6	KL	CAN	06DE2999A	A-B-D
Golf VII (AU)	2013 >	Logic	3	RC	CAN	VWGO13R1C	A-B-D
Golf VII (AU)	2013 >	Logic	4	KL	CAN	VWGO13R1C	A-B-D
Jetta (1K)	2005 >	Logic	1	RC	CAN	06DE3101A	B-C-D
Maggiolino (New Beetle)	2012 >	Logic	1	RC	CAN	VWMA12C	B-D
New Beetle (1C)	2005 >	Power	2	RC	CAN	VWNBE05C	B-D
Passat (3B)	2003 >	Power	2	RC	CAN	06DE1976A	/////////
Passat (3C)	2011 >	Logic	1	RC	CAN	VWPA11R1C	A-B-C-D
Passat (3C)	2005 >	Logic	1	RC	CAN	06DE2153C	A-B-D
Passat (3C)	2015 >	Logic	4	KL	CAN	VWPA15C	A-B-C
Passat (3C)	2015 >	Logic	3	RC	CAN	VWPA15C	A-B-C
Passat CC (3C)	2008 >	Logic	1	RC	CAN	06DE2950A	A-B-D
Polo (6R)	2010 >	Logic	1	RC	CAN	VWPO10R1C	C-D
Polo (6R)	2014 >	Logic	3	RC	CAN	VWPO14R1C	A-B-C-D
Polo (9N)	2003 >	Logic	1	RC	CAN	06DE3089A	A-B
Scirocco (13)	2008 >	Logic	1	RC	CAN	06DE3083A	A-B-D
Scirocco (13)	2008 >	Logic	6	KL	CAN	06DE3083A	A-B-D
Sharan	2010 >	Logic	1	RC	CAN	VWSH10C	A-B-C-D
Sharan	2010 >	Logic	6	KL	CAN	VWSH10C	A-B-C-D
Sharan (7N)	2015 >	Logic	8	RC	CAN	VWSH15C	A-B-C
T5 (7H)	2005 >	Power	2	RC	CAN	06DE1977B	/////////
T5 (7H)	2009 >	Power	2	RC	CAN	VWTR09C	D
T5 (7H)	2010 >	Power	2	RC	CAN	VWTR10R1C	B-D
T6 (7H)	2015 >	Logic	1	RC	CAN	VWT615C	A-B-C
Tiguan (5N)	2007 >	Logic	1	RC	CAN	06DE2917A	A-B-D
Tiguan (5N)	2011 >	Logic	1	RC	CAN	VWTI11C	A-B-C-D
Tiguan (5N)	2011 >	Logic	6	KL	CAN	VWTI11C	A-B-C-D
Tiguan (5N)	2014 >	Logic	1	RC	CAN	VWTI14C	A-B-D
Tiguan (5N)	2014 >	Logic	6	KL	CAN	VWTI14C	A-B-D
Tiguan (5N)	2016 >	Logic	3	RC	CAN	VWTI16C	A-B-C-F-S
Tiguan (5N)	2016 >	Logic	4	KL	CAN	VWTI16C	A-B-C-F-S
Touareg (7L)	2008 >	Logic	1	RC	CAN	VWTOG08C	A-B-C-D
Touareg (7P)	2010 >	Logic	5	RC-KL	CAN	WVTOG10R2C	A-B-C-D
Touran (1T)	2015 >	Logic	3	RC	CAN	VWTO15C	A-B-C
Touran (1T)	2004 >	Logic	1	RC	CAN	06DE3102A	A-B-D
Touran (1T)	2011 >	Logic	1	RC	CAN	VWTON11R1C	A-B-C-D
Touran (1T)	2011 >	Logic	6	KL	CAN	VWTON11R1C	A-B-C-D
Up! (AA)	2012 >	Logic	1	RC	CAN	VWUP12R1C	B-D

#### PLIP software version 46V252AG-109

Fox	2009 >	Power	1	RC	PLIP	VWFOX09P	/////////
-----	--------	-------	---	----	------	----------	-----------

## VOLVO

#### CAN software version 46V252VO-113

C30	2007 >	Power	1	RC	CAN	VOC3007C	B
S40	2004 >	Power	1	RC	CAN	VOS4004C	B
S60	2008 >	Logic	3	RC	CAN	06DE2951A	B
S60	2011 >	Logic	4	RC	CAN	VOS6011C	B-C-D
S80	2006 >	Logic	2	RC	CAN	06DE2798A	B
S80	2010 >	Logic	5	RC	CAN	VOS8010C	B-F-E



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
V40	2004 >	Power	1	RC	CAN	VOS4004C	B
V40	2012 >	Logic	6	RC	CAN	VOV4012C	B-F
V50	2004 >	Power	1	RC	CAN	VOV5004C	B
V50	2010 >	Power	1	RC	CAN	VOV5010C	B-F
V60	2011 >	Logic	4	RC	CAN	VOV6011C	B-C-D
V70 - XC70	2008 >	Logic	2	RC	CAN	06DE2952A	B-D
V70 - XC70	2013 >	Logic	7	RC	CAN	VOXC7013C	B-F
V70	2015 >	Logic	7	RC	CAN	VOV7015C	B-C
XC60	2010 >	Logic	5	RC	CAN	VOXC6010C	B-F-E
XC60	2015 >	Logic	4	RC	CAN	VOXC6015C	B-F
XC60	2016 >	Logic	8	RC	CAN	VOXC6016C	B-F
XC90	2010 >	Logic	3	RC	CAN	VOXC9010C	B-R

#### Motorhome LAIKA

#### CAN software version 46V252CV-111

Ducato No HF-G	2006 >	Power	5	RC	CAN	LKDU06C
Ducato No HF-G	2012 >	Power	8	RC	CAN	LKDU12C
Ducato ** HF+G	2006 >	Power	2	RC	CAN	LKDU06C
Ducato ** HF+G	2012 >	Power	7	RC	CAN	LKDU12C
Ducato ** HF+G+B	2010 >	Power	6	RC	CAN	LKDU06C

#### RAPIDO

#### CAN software version 46V252CV-111

Sprinter No HF-G	2006 >	Power	4	RC	CAN	RASP06C
Sprinter No HF-G	2011 >	Power	4	RC	CAN	RASP11C
Sprinter ** HF+G	2006 >	Power	3	RC	CAN	RASP06C
Sprinter ** HF+G	2011 >	Power	3	RC	CAN	RASP11C

#### Legenda

<b>FITTING INSTR.</b>	Codice scheda d'installazione	Fitting instruction code	Code notice installation	Esquema de instalación
<b>BLINKER</b>	Tipo di blinker	Blinker type	Type clignotants	Tipo de intermitentes
<b>G</b>	Sensore gas	Gas sensor	Capteur gas	Sensor gas
<b>HF</b>	Iperfrequenza	Hyperfrequency	Hyperfréquence	Hiperfrecuencia
<b>INDEX</b>	Indice CAN o Indice Plip	CAN index or Plip index	Index CAN ou Plip	Indice CAN o PLIP
<b>KL</b>	Sistema Keyless	Keyless entry system	Système Keyless	Sistema Llave inteligente
<b>M/Y</b>	Anno del modello	Model year	Année Modèle	Año del Modelo
<b>MODEL</b>	Modello dell'auto	Car model	Modèle véhicule	Modelo del Vehículo
<b>O/E</b>	Equipaggiamento d'origine	Original equipment	Equipment Origine	Equipamiento de Origen
<b>RC</b>	Radiocomando originale	Original remote control	Radiocommande d'Origine	Radiocomando Original
<b>S/F</b>	Funzionalità speciali	Special features	Fonctions Spéciales	Funciones Especiales
<b>TYPE</b>	Tipo di applicazione CAN o PLIP	Application type CAN or PLIP	Type d'application CAN ou PLIP	Tipo de Aplicación CAN o PLIP
<b>       </b>	Nessuna funzionalità aggiuntiva	No additional functionality	Pas de fonctionnalité additionnelle	Ninguna Función Adicional
<b>&gt;</b>	Anno dal quale é disponibile	Year from which it is available	Année à partir de laquelle il (le sw) est disponible	Año a partir del cual está disponible



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F

\* 4685 CAN filo singolo/\* 4685 CAN single wire /\* 4685 CAN seul fil/\* 4685 un solo cable

\*\* Il software è fornito di un ingresso aggiornale per un sensore volumetrico che può essere escluso insieme al sensore ultrasuoni e di un'ingresso per il sensore rilevamento gas.

\*\* The software provides an additional input for a volumetric sensor that can be excluded with the ultrasonic sensor and an additional input for the gas detection sensor.

\*\* La programmation permet d'éjecter une entrée additionnelle en même temps que les ultrasons et une entrée additionnelle pour un détecteur de gaz.

\*\* El software proporciona la entrada adicional de una señal para un sensor volumétrico, que se puede excluir junto con el sensor de ultrasonidos, y de una entrada para la señal de un sensor detector de Gas.

Tutte le applicazioni sono pubblicate nell'aggiornamento di Andromeda. (Firmware 83)

All the above applications are published in Andromeda updating. (Firmware 83)

Tous les véhicules ci dessus sont disponibles dans la version Andromeda. (Firmware 83)

Todas las aplicaciones están publicadas en la actualizaciones de Andromeda. (Firmware 83)

#### FUNZIONALITA' SPECIALI - SPECIAL FEATURES - FONCTIONS SPÉCIALES – FUNCIONES ESPECIALES

<b>A</b>	Il riconoscimento del transponder all'accensione del quadro strumenti disinserisce il sistema. <b>The system will be disarmed when the ignition is turned on using the correct key and upon transponder recognition.</b> Le système sera désactivé à la mise du contact après reconnaissance du transpondeur d'origine. <b>Al dar el contacto reconoce el transponder y desactivará la alarma.</b>
<b>B</b>	Se le porte si chiudono automaticamente il sistema si reinserirà. <b>When the CDL auto rearms, the system will also arm.</b> A la refermeture automatique des portes, le système se réactive. <b>Si las puertas se cierran automáticamente la alarma se activa.</b>
<b>C</b>	Aprendo il baule usando il pulsante dedicato del telecomando originale il sistema si disinserisce. Richiudendo il baule il sistema si reinserirà. <b>Opening the boot/hatch, using the dedicated button on the original remote control, the system will be deactivated. Upon closing the boot/hatch the system will be rearmed.</b> L'ouverture du coffre à la radiocommande d'origine provoque la désactivation du système. Le système se réarme à la fermeture du coffre. <b>Abriendo el maletero mediante el mando original del vehículo la alarma se desactiva, si cerramos de nuevo el maletero la alarma se activa de nuevo.</b>
<b>D</b>	I sensori ultrasuoni sono disattivati automaticamente se all'inserimento del sistema i cristalli sono aperti. <b>The ultrasonic sensors are automatically deactivated in the event that the windows are left opened.</b> La protection volumétrique est automatiquement éjectée si une vitre reste ouverte. <b>Los sensores de ultrasonidos se desactivan automáticamente si al activar la alarma los cristales están abiertos.</b>
<b>E</b>	Bloccando le chiusure centralizzate con il telecomando originale quando l'interruttore dell'Hazard è attivato il sistema non si inserisce. <b>Closing the central door lock with the original remote control when the hazard switch is turned on, the system won't be armed.</b> La fermeture du véhicule à la radiocommande d'origine n'active pas l'alarme si les avertissements sont activés. <b>Realizando el cierre centralizado con el mando original del vehículo y si los intermitentes de emergencia están conectados la alarma no se activará.</b>



15.07.2016

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

	MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
<b>F</b>								
<b>F</b>	Aprendo il baule usando il pulsante dedicato del radiocomando originale il sistema si disinserisce. Chiudere il baule e premere una volta il pulsante di bloccaggio delle chiusure centralizzate sul radiocomando originale per reinserire il sistema. <b>Opening boot/hatch using the dedicate button on the original remote control the system will be disarmed. Close the boot/hatch and press one time the CDL closing button on the original remote control to rearm the system.</b> L'ouverture du coffre à la radiocommande d'origine provoque la désactivation du système. Fermer le coffre et provoquer la fermeture du véhicule avec la radiocommande d'origine pour réactiver le système. <b>Abriendo el maletero mediante el mando original del vehículo la alarma se desactiva, cerrar el maletero y pulsar el mando original para cerrar las puertas y activar la alarma.</b>							
<b>G</b>	Aprendo il baule dal pulsante dedicato del radiocomando originale i sensori ad ultrasuoni saranno disattivati. Richiudendo il baule i sensori ad ultrasuoni saranno riattivati. <b>Opening the boot/hatch, using the dedicated button on the original remote control, the ultrasonic sensors will be deactivated. Upon closing the boot/hatch the ultrasonic sensors will be rearmed.</b> L'ouverture du coffre à la radiocommande d'origine provoque l'éjection de la protection ultrasons. La fermeture du coffre réactive la protection volumétrique automatiquement. <b>Abriendo el maletero mediante el pulsador del mando original del vehículo los sensores de ultrasonidos serán desactivados.</b>							
<b>H</b>	Premendo il tasto di apertura del radiocomando originale durante il lampeggio degli indicatori di direzione nella fase di allarme occorre attendere la fine del ciclo di lampeggio per ottenere il disinserimento del sistema. <b>If you press the opening pushbutton on the original remote control during the flashing of the direction indicators in the alert phase, you have to wait until the end of flashing cycle to get the disarming of the system.</b> Si vous utiliser la radiocommande d'origine pendant une phase d'alarme (clignotement des indicateurs de direction), vous devez attendre la fin du cycle de clignotement pour obtenir la désactivation du système. <b>Pulsando el botón de apertura del radio comando original del vehículo estando destellando los intermitentes de emergencia en fase de alarma, deberemos esperar al ciclo de destellos para poder desactivar la alarma.</b>							
<b>M</b>	Aprire il baule dal pulsante dedicato del radiocomando originale, premendo il pulsante sul baule i sensori ad ultrasuoni saranno disattivati. Richiudere il baule e premere una volta il pulsante di bloccaggio delle chiusure centralizzate sul radiocomando originale per reinserire il sistema. <b>Opening the boot/hatch, using the dedicated button on the original remote control, pressing the pushbutton on the boot the ultrasonic sensors will be deactivated. Close the boot and press one time the CDL closing button on the original remote control to rearm the system.</b> L'ouverture du coffre avec la radiocommande d'origine, l'appuie sur le bouton d'ouverture du coffre ejectera la protection volumétrique. La fermeture du coffre et la pression sur le bouton de fermeture de la radiocommande réactivera le système. <b>Abriendo el maletero mediante el pulsador dedicado del radio comando original los ultrasonidos se desactivan , cerrando de nuevo el maletero y pulsando una vez el pulsador del cierre centralizado sobre el mando original para activar de nuevo la alarma.</b>							
<b>N</b>	Se le porte si richiudono automaticamente il sistema si reinserisce (per il corretto funzionamento è obbligatorio collegare i pulsanti porte, vedi scheda tecnica). <b>When the CDL auto rearms, the system will also arm (for the proper functioning it is mandatory to connect the doors switches, see the fitting instructions).</b> A la refermeture automatique des portes , le système se réactive (pour un fonctionnement correct c'est							

## 4600 CAR ALARM PLATFORM

### CAN/PLIP PRODUCT RANGE APPLICATION LIST

#### Andromeda software release: Firmware 83

	MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
	obligatoire de connecter les contacteurs des portes, voir la fiche technique). <b>Si las puertas se cierran automáticamente la alarma se activa (para el correcto funcionamiento es obligatorio conectar el pulsador de la puerta, ver esquema tecnico).</b>							
P	Gli US non sono disattivati automaticamente se il lunotto posteriore, i tettucci apribili anteriori e il tetto posteriore rimangono aperti. <b>If the trunk window,sunroofs or posterior roof are opened the US aren't deactivated automatically.</b> Si une vitre, le toit ouvrant restent ouverts les ultrasons ne seront pas désactivés automatiquement. <b>Los ultrasonidos no se desactivan automáticamente si los cristales, techo electric permanecen abiertos.</b>							
Q	Chiudendo le chiusure centralizzate con la chiave il sistema sarà inserito. <b>Closing the central door locking by door keylock the system will be armed.</b> Le verrouillage des portes par la serrure mécanique activera le système. <b>Cerrando mediante la llave la alarma se activerà.</b>							
R	Aprendo il baule usando il pulsante dedicato del radiocomando originale il sistema si disinserisce. Per reinserire il sistema premere il pulsante dedicato del radiocomando (apertura baule) dopo averlo richiuso. <b>Opening the boot/hatch, using the dedicated button on the original remote control, the system will be deactivated. Close the boot/hatch, push one time the dedicated button on the original remote control (trunk release) to reactivate the system.</b> L'ouverture du coffre en utilisant la radiocommande d'origine désactivera le système. A la fermeture, appuyer une fois sur le bouton d'ouverture du coffre de la radiocommande d'origine pour le système. <b>Abriendo el maletero usando el pulsador dedicado del radio comando original la alarma se desactiva, para activarla de nuevo pulsar el botón dedicado del radio comando (apertura de maletero) después de haberlo cerrado.</b>							
S	Solo per versioni keyless. Aprire il baule premendo il pulsante di apertura sul portellone per disinserire il sistema. Chiudere il baule e premere il pulsante di chiusura sul portellone per reinserire il sistema. <b>Only for the keyless version.</b> <b>Open the boot by pressing the opening pushbutton on the hatchback to disarm the system.</b> <b>Close the boot and press the closing button on the hatchback to rearm the system.</b> Seulement pour version clef main libre. Ouvrir le coffre en appuyant sur le bouton du coffre pour désactiver le système. Fermer le coffre et appuyer sur le bouton de fermeture du coffre pour réactiver le système. <b>Solo para la versión de mando de proximidad (llave inteligente).</b> <b>Abrir el maletero presionando el pulsador de apertura del propio maletero para desactivar el sistema.</b> <b>Cerrar el maletero y presionar el pulsador del cierre centralizado para reactivar el sistema.</b>							
T	Aprendo il baule usando il pulsante dedicato del radiocomando originale il sistema si disinserisce. Richiudendo il baule il sistema si reinserisce solo se le chiusure centralizzate non sono state sbloccate. Se fossero state sbloccate, dopo aver chiuso il baule premere il pulsante di chiusura del radiocomando originale per reinserire il sistema. <b>Opening the boot by pressing the dedicated pushbutton on the original remote control the system disarms. Closing the boot the system rears only if the CDL have not been unlocked.</b> <b>If they have been unlocked after having closed the boot press the closing pushbutton of the original remote control to rearm the system.</b> Ouvrir le coffre en appuyant sur le bouton dédié de la radiocommande pour désactiver le système. La fermeture du coffre réactive le système seulement si les portes n'ont pas été déverrouillées. Si elles ont été déverrouillées après la fermeture du coffre, appuyer sur le bouton de fermeture de la radiocommande pour réactiver le système.							



15.07.2016

## 4600 CAR ALARM PLATFORM CAN/PLIP PRODUCT RANGE APPLICATION LIST

### Andromeda software release: Firmware 83

MODEL	M/Y	BLINKER	INDEX	O/E	TYPE	FITTING INSTR.	S/F
<p><b>Abriendo el maletero usando el pulsador dedicado sobre el radiocomando original el sistema se desactiva. Cerrando el maletero, y si los cierres no han sido desbloqueados el sistema se reactiva. Si el cierre centralizado estuviera desbloqueado (abierto) cuando cerramos el maletero sera necesario presionar sobre el pulsador decierre del radiocomando original para reactivar el sistema.</b></p>							